

## PyGanic® Dust

### Specimen Label

- May Be Used on Livestock Animals and Livestock Premises
- Kills Bed Bugs
- Kills Bees and Wasps [Yellow Jackets, Hornets, and Paper Wasps]

#### ACTIVE INGREDIENTS:

Pyrethrins, <i>a botanical insecticide</i> .....	1.00%
OTHER INGREDIENTS .....	99.00%
	100.00%

0.01 lbs. active ingredient per lbs. of PyGanic® Dust

KEEP OUT OF REACH OF CHILDREN

### CAUTION

See page 5 for first aid and precautionary statements.



### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### READ ENTIRE LABEL BEFORE EACH USE

#### USE RESTRICTIONS AND PRECAUTIONS

- Apply this product only as specified on the label.
- Aerial applications are prohibited.
- Applications with power duster equipment are prohibited.
- Do not apply this product in a way that will contact workers or other persons, either directly or indirectly through drift.
- Only protected handlers may enter treated area during application.
- Do not allow adults, children or pets to enter the treated area until dusts have settled.
- For use outdoors, do not apply directly to or near water, storm drains or drainage ditches. Do not apply when windy. To prevent product run-off, do not over-water the treated area or apply when heavy rain is expected.
- Do not apply this product in a way that will contact adults, children or pets, either directly or indirectly through drift.
- Remove or cover exposed food and drinking water before application.

- In Homes remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use. Do not use in serving areas while food is exposed.
- In Food Areas of Food Handling Establishments: Avoid contamination of food or feedstuffs. During applications, cover or remove food. Cover food processing surfaces and equipment or clean after treatment with a suitable detergent and rinse with potable water before use. Do not use in serving areas (dining areas where prepared foods are served) while food is exposed or facility is in operation.
- In Schools, do not apply to classrooms when in use.
- Do not use in aircraft.
- Remove pets, birds and cover fish aquariums before application.

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR, Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter until dusts have settled.

**Kills Exposed Insects and Related Pests including:**

Adelgids	Brown Spider Beetles	Crickets	Flying Moths	Large Black Flour Beetles	Pine Engraver	Southern Red Mite (Adult)
Alfalfa Weevil	Brown Spruce Longhorn Beetle	Cross-striped Cabbageworm	Foreign Grain Beetles	Larger Cabinet Beetles	Pink Scavenger Caterpillars	Sowbugs
Almond Moth	Budworms	Cucumber Beetles	Forest Tent Caterpillar	Larger Grain Borers	Pinworms	Spider Beetles
American Black Flour Beetle	Bugs	Cutworms (exposed)	Fruit Flies	Leafhoppers	Plant Bugs	Spider Mites
Angoumois Grain Moths	Cadelles	Dark Mealworms	Fruitree Leafroller	Leafminers	Plum Curculio	Spruce Mite (Adult)
Ants	California Oakworm	Darkling Beetles (lesser meal worm)	Fungus Beetles	Leafrollers	Ponderosa Pine Needle Miner	Squarenecked Grain Beetles
Aphids	Cankerworms	Deer Tick	Fungus Gnats	Leaftiers	Poultry Lice	Stable Flies
Apple Maggot	Carpet Beetles	Depressed Flour Beetles	German Cockroaches	Lesser Grain Beetles	Powder Post Beetles	Stalk Borers
Armyworms	Carrion Beetles	Dermestid Beetles	Giant Root Aphid	Lesser Grain Borers	Psocids	Stink Bugs
Asian Cerambycid Beetles	Caterpillars	Diamondback Larvae	Glassy Winged Sharpshooter	Lesser Meal Worm	Psyllids	Stored Product Pests
Asian Lady Beetle	Catorama Beetles	Dingy Cutworm Adult	Grain Mites	Lesser Peach Tree Borer	Red Flour Beetles	Subtropical Pine Tip Moth
Asian Pine Tip Moths	Centipedes	Douglas Fir Midge	Granary Insects	Longheaded Flour Beetles	Red Gum Lerp Psyllid	Sycamore Leaf Beetle
Bagworm	Cereal Beetles	Douglas Fir Tussock Moth	Granary Weevils	Loopers	Red Horned Grain Beetles	Tarnished Plant Bug
Barn Flies	Cheese Mites	Drain Flies	Grape Leaf Skeletonizer	Lygus Bugs	Red Lily Beetles	Tent Caterpillar
Bat Bugs	Cheese Skippers	Dried Fruit Beetles	Grape Leafhopper	Maize Weevils	Red Oak Borer	Thrips
Bean Beetles	Chocolate Moths	Drugstore Beetles	Grasshoppers	Mealy Bugs	Redbanded Leafroller	Tobacco Moths
Bean Weevils	Chrysanthemum Leaf Miners	Earwigs	Green Fruit Worm	Mediterranean Flour Moths	Rice Flour Beetles	Trogoderma Beetles
Bed Bugs	Cicadas	Eastern Tent Caterpillar	Green Peach Aphid	Merchant Grain Beetles	Rice Moths	Two-Banded Beetles
Bees	Cigarette Beetle	Elmleaf Beetle	Greenbugs	Mexican Bean Beetle	Rice Weevils	Vegetable Leaf Miners
Beet Armyworms	Clearwing Borer	Emerald Ash Borer	Greenhouse Thrips	Mexican Grain Beetles	Root Weevils	Vinegar Flies
Beetles	Clothes Moths	European Grain Moths	Ground Beetles	Millers	Rose Chafer	Warehouse Beetles
Birch Leafminer	Clover Mites	European Pine Shoot Moth	Gypsy Moth (adults & larvae)	Millipedes	Royal Palm Bugs	Wasps [Yellow Jackets, Hornets, and Paper Wasps]
Black Carpet Beetles	Clover Weevil	European Pine Tip Moth	Hairy Fungus Beetles	Mimosa Webworm	Rusty Grain Beetles	Waterbugs
Black Fungus Beetles	Cluster Flies	Face Flies	Hairy Spider Beetles	Mole Crickets	Saw-Toothed Grain Beetle	Webworms
Black Turpentine Beetles	Cocoa Bean Moths	Fall Cankerworms	Harlequin Bug	Moth Flies	Scale (Crawlers)	Weevils
Black Vine Weevil	Coffee Bean Weevils	Fall Webworm	Heliiothis spp.	Murmidius Beetles	Seedbugs	Western Pine Tip Moth
Blacklegged Tick Nymphs	Cone Beetles	Fannia Flies	Hessian Fly (Adult)	Mushroom Flies	Silverfish	White Apple Leafroller
Blister Beetles	Cone Worms	Field Crickets	Hide Beetles	Nantucket Pine Tip Moth	Skipper Flies	White Marked Spider Beetles
Blow Flies	Confused Flour Beetle	Firebrats	Hornworm	Northern Fowl Mites	Skippers	Whiteflies
Booklice	Conifer Spider Mite (Adult)	Fireworms	Inchworm	Onion Maggot	Slenderhorned Flour Beetles	Wireworms
Bottle Flies	Corn Sap Beetles	Flat Grain Beetles	Indian Meal Moth	Palmetto Bug	Small Flying Moths	Yellow Mealworms
Boxelder Bugs	Cottonwood Borer	Flea Beetles	Iris Borer	Peach Twig Borer	Small Fruit Flies	
Broadhorned Flour Beetles	Cottonwood Leaf Beetles	Fleas	Japanese Beetle	Pear Psylla	Smalleyed Flour Beetles	
Broadnosed Grain Weevils	Cranbury Girdlers	Flies	Katydids	Pillbugs	Southern Pine Beetles	
	Crane Flies		Khapra Beetles	Pine Bark Beetles		
			Lace Bugs			

**READ ENTIRE LABEL BEFORE EACH USE**

For most effective results, follow directions for specific use areas.

Avoid contamination of food and feedstuffs.

**Application Methods:**

Apply PyGanic® Dust using a dust applicator, a shaker can, dust gun, puffer or other bulbous duster, hand pump duster, hand operated rotary duster, static charge duster, or other appropriate hand operated duster.

**INDOOR USE SITES:**

ONLY APPLY AS A SPOT TREATMENT TO AREAS NO GREATER THAN 2 FEET BY 2 FEET PER ROOM.







